



Europäisches Patentamt

European Patent Office

Office européen des brevets



EP 1 048 295 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication: 02.11.2000 Bulletin 2000/44

(51) Int. CI.⁷: **A61K 31/216**, A61P 3/06, A61K 9/14, A61K 9/48

(11)

(21) Application number: 00303077.2

(22) Date of filing: 12.04.2000

(84) Designated Contracting States:

AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

MC NL PT SE

Designated Extension States:

AL LT LV MK RO SI

(30) Priority: 27.04.1999 CA 2270306

(71) Applicant: SHERMAN, Bernard Charles Willowdale, Ontario M2L 2K1 (CA) (72) Inventor: SHERMAN, Bernard Charles Willowdale, Ontario M2L 2K1 (CA)

(74) Representative:
Votier, Sidney David
CARPMAELS & RANSFORD
43, Bloomsbury Square
London WC1A 2RA (GB)

(54) Pharmaceutical compositions comprising co-micronized fenofibrate

(57) A pharmaceutical composition for oral administration comprising a co-micronized mixture of fenofibrate and a solid excipient that is not a surfactant.

Description

FIELD OF INVENTION

[0001] The present invention relates to pharmaceutical compositions for oral administration comprising fenofibrate which enable improve dissolution and bioavailability.

1

BACKGROUND

[0002] Fenofibrate is practically insoluble in water. This causes fenofibrate to exhibit a low rate of dissolution in aqueous media (including gastrointestinal fluids). Which results in inadequate bioavailability (absorption into systemic circulation) after oral ingestion.

[0003] In order to make a composition comprising fenofibrate that will enable maximum bioavailability, it is necessary to incorporate into the composition a feature that increases the rate of dissolution of the drug in gastrointestinal fluids.

[0004] Several ways of increasing the rate of dissolution of drugs having low solubility in water are known in the prior art.

[0005] One approach is micronization. In this approach, the drug is milled to fine particles, typically having a mean diameter of under about 15 microns. A second approach is to include a surfactant in the composition.

[0006] For the drug fenofibrate, neither micronization alone nor use of a surfactant alone enables maximum bioavailability. US Patent 4895726 discloses that the rate of dissolution and the bioavailability of fenofibrate can be maximized by co-micronization of fenofibrate with a solid surfactant. In this process the fenofibrate is first mixed with the solid surfactant and then the mixture is micronized.

[0007] A composition made according to the invention of US Patent 4895726 is sold in Canada under the tradename Lipidil Micro and in the United States under 40 the tradename Tricor.

A disadvantage of the technology of US Patent 4895726 is the need to include the solid surfactant in the composition. Because of the toxicity of surfactants, it is preferable to avoid use of a surfactant if possible.

Another method of increasing the dissolution rate of fenofibrate is disclosed in Canadian patent application No. 2214895. This publication discloses that the bioavailability of fenofibrate can be improved by making a solid dispersion of a disintegrant in the fenofibrate. This is done by melting the fenofibrate, blending the disintegrant into the molten fenofibrate, and resolidifying the mixture. The resulting solid can then be ground up into granules and the granules used to make the final composition. For example, the granules can be filled into two-piece hard gelatin capsules.

[0008] A disadvantage of the method of Canadian patent application No. 2214895 is that it requires the

use of specialized equipment to make the molten blend.

[0009] In view of the limitations of the prior art, it is the object of the present invention to enable increased dissolution rate of fenofibrate without the need to incorporate a surfactant in the composition, and without the

DESCRIPTION OF THE INVENTION

need to make a molten blend.

[0010] It has been found that the dissolution rate of fenofibrate can be substantially increased by co-micronization of fenofibrate with a pharmaceutically acceptable excipient that is not a surfactant. This is surprising in light of the US Patent 4895726 which teaches co-micronization only with a solid surfactant.

[0011] The term "pharmaceutically acceptable excipient" will be understood to mean any ingredient having no therapeutic activity and being nontoxic and thus suitable as an excipient.

[0012] Suitable excipients will include any of the excipients commonly used in pharmaceutical products, such as, for example, microcrystalline cellulose, lactose and starch, provided that such excipient is solid at room temperature and not a surfactant.

[0013] The ratio of the weight of the excipient to the weight to fenofibrate may be anywhere from about 1:100 to about 2:1, will preferably be from about 1:10 to about 3:2, and will most preferably be about 1:1.

[0014] The co-micronization of the fenofibrate and excipient will advantageously be carried out by mixing the fenofibrate and excipient together and then micronizing of the mixture on conventional micronization equipment, such as an air-jet mill. The mixture will preferably be micronized such that the mean particle size is less than 15 microns, more preferably less than 10 microns, and most preferably less than 5 microns.

[0015] The co-micronized powder may then be processed into solid dosage forms for oral administration (i.e. tablets or capsules).

[0016] This may be, for example, in one of the following ways:

- 1. Filling the co-micronized powder directly into 2-piece hard gelatin capsules.
- 2. Mixing the co-micronized powder with other excipients, such as, for example, fillers, binders, disintegrants, lubricants and glidants, and either filling the mixture into 2-piece hard gelatin capsules or compressing the mixture into tablets.

[0017] The invention will be more clearly understood from the following examples.

Example 1

[0018] 500 g of fenofibrate was mixed with 500 g of lactose monohydrate powder, and the mixture was

45

25

micronized on an air-jet mill. 2 piece hard gelatin capsules were then filled with the resultant co-micronized powder to a net fill weight of 400 mg per capsule, so that each capsule contained 200 mg of fenofibrate.

Example 2

[0019] 500 g of fenofibrate was mixed with 500 g of microcrystalline cellulose, and the mixture was micronized on an air-jet mill. 2-piece hard gelatin capsules were then filled with the resultant co-micronized powder to a net fill weight of 400 mg per capsule, so that each capsule contained 200 mg of fenofibrate.

Example 3

[0020] For comparison purposes, a quantity of pure fenofibrate was micronized using the same air-jet mill.
[0021] A sample of the pure micronized fenofibrate was then mixed with an equal weight of lactose monohydrate power. 2-piece hard gelatin capsules were then filled with the resultant mixture to a net fill weight of 400 mg per capsule, so that each capsule again contained 200 mg of fenofibrate.

Dissolution Results

[0022] Capsules of examples 1 and 2 were compared to capsules of example 3 for dissolution rate.

[0023] The equipment used for dissolution testing 30 was United States Pharmacopoeia Apparatus #2. The paddle speed was 100 rpm, and the medium was 900 mL of 0.1N sodium dodecyl sulfate water.

[0024] It was found that, in 60 minutes, over 90% was dissolved from the capsules of examples 1 and 2, 35 whereas only 50% to 70% was dissolved for the capsules of example 3.

[0025] It is thus clear that the dissolution rate is substantially higher using fenofibrate that has been comicronized with a solid excipient such as lactose or 40 microcrystalline cellulose, in comparison to fenofibrate that has been micronized in pure form and then mixed with a solid excipient.

Claims

- A pharmaceutical composition comprising a comicronized mixture of fenofibrate and a solid excipient that is not a surfactant.
- A composition as in claim 1 wherein the mean particle size of the said co-micronized mixture is less than 15 microns.
- A composition as in claim 1 wherein the mean particle size of the said co-micronized mixture is less than 10 microns.

- A composition as in claim 1 wherein the mean particle size of the said co-micronized mixture is less than 5 microns.
- A composition as in any of claims 1 to 4, wherein the ratio of the excipient to fenofibrate by weight is from about 1:100 to about 2:1.
 - A composition as in any of claims 1 to 4, wherein the ratio of the excipient to fenofibrate by weight is about 1:10 to about 3:2.
 - A composition as in any of claims 1 to 4, wherein the ratio of the excipient to fenofibrate by weight is about 1:1.
 - 8. A composition as in any of claims 1 to 5, wherein the excipient is selected from the group consisting of microcrystalline cellulose, lactose, and starch.

3

45



Europäisches Patentamt European Patent Office Office européen des brevets



(11) EP 1 048 295 A3

(12)

EUROPEAN PATENT APPLICATION

(88) Date of publication A3: 06.12.2000 Bulletin 2000/49

(51) Int. CI.⁷: **A61K 31/216**, A61P 3/06, A61K 9/14, A61K 9/48

- (43) Date of publication A2: 02.11.2000 Bulletin 2000/44
- (21) Application number: 00303077.2
- (22) Date of filing: 12.04.2000
- (84) Designated Contracting States:

 AT BE CH CY DE DK ES FI FR GB GR IE IT LI LU

 MC NL PT SE

 Designated Extension States:

 AL LT LV MK RO SI
- (30) Priority: 27.04.1999 CA 2270306
- (71) Applicant:
 SHERMAN, Bernard Charles
 Willowdale, Ontario M2L 2K1 (CA)

- (72) Inventor:
 SHERMAN, Bernard Charles
 Willowdale, Ontario M2L 2K1 (CA)
- (74) Representative:
 Votier, Sidney David
 CARPMAELS & RANSFORD
 43, Bloomsbury Square
 London WC1A 2RA (GB)
- (54) Pharmaceutical compositions comprising co-micronized fenofibrate
- (57) A pharmaceutical composition for oral administration comprising a co-micronized mixture of fenofibrate and a solid excipient that is not a surfactant.



EUROPEAN SEARCH REPORT

Application Number EP 00 30 3077

		ERED TO BE RELEVANT				
Category	Citation of document with in of relevant pass	dication, where appropriate, ages	Relevant to claim	CLASSIFICATION OF THE APPLICATION (Int.Cl.7)		
A,D	US 4 895 726 A (B.C 23 January 1990 (19 * claims *	URTET ET AL.) 90-01-23)	1-8	A61K31/216 A61P3/06 A61K9/14 A61K9/48		
A,D	EP 0 904 781 A (B.C 31 March 1999 (1999 * claims *		1-8	1		
A	EP 0 724 877 A (LAB 7 August 1996 (1996 * claims *	ORATOIRES FOURNIER) -08-07)	1-8			
A	WO 96 21439 A (GALE 18 July 1996 (1996- * claims *		1-8			
				TECHNICAL FIELDS SEARCHED (Int.CI.7)		
				A61K		
				ŀ		
			1			
	,					
_	The present search report has	been drawn up for all claims				
	Place of search	Date of completion of the search	1	Examiner		
	THE HAGUE	17 October 200	0 Sca	arponi, U		
(CATEGORY OF CITED DOCUMENTS	E : earlier paten	nciple underlying the it document, but pub			
Y:par	ticularly relevant if taken alone ticularly relevant if combined with ano		ted in the application	the application		
A:tec	turnent of the same category thrological background	***************************************	led for other reasons he same patent fam			
	n-written disclosure ermediate document	a : member or t document	не заие разелиали	ny, consequency		

ANNEX TO THE EUROPEAN SEARCH REPORT ON EUROPEAN PATENT APPLICATION NO.

EP 00 30 3077

This annex lists the patent family members relating to the patent documents cited in the above—mentioned European search report. The members are as contained in the European Patent Office EDP file on

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

17-10-2000

	Patent document cited in search report		Publication date	Patent family member(s)		Publication date	
US	JS 4895726 A		23-01-1990	FR 2627696 A		01-09-198	
•				AT	83374 T	15-01-199	
				AU	614577 B	05-09-199	
				AU	2982889 A	31-08-198	
				CA	1322529 A	28-09-199	
				DE	68903846 D	28-01-199	
				DE	68903846 T	09-06-199	
				EP	0330532 A	30-08-198	
				ES	2054040 T	01-08-199	
				GR	3006798 T	30-06-199	
				JP	1254624 A	11-10-198	
				JP	1984294 C	25-10-199	
				JP	7014876 B	22-02-199	
				NZ	228130 A	25-10-199	
EP	904781	Α	31-03-1999	CA	2214895 A	27-11-199	
				AU	8607398 A	15-04-199	
				JP	11152227 A	08-06-199	
FP	724877	Α	07-08-1996	FR	2730231 A	09-08-199	
		••	0, 02 2550	AT	194078 T	15-07-200	
				DE	69608974 D	03-08-200	
				JP	8253416 A	01-10-199	
				ŬS	5880148 A	09-03-199	
			10.07.1006				
WU	9621439	A	18-07-1996	US	5545628 A	13-08-199	
				AU	4380896 A	31-07-199	
				CA	2210985 A	18-07-199	
				EP	0801562 A	22-10-199	
				JP	10511959 T	17-11-199	

For more details about this annex : see Official Journal of the European Patent Office, No. 12/82